
## Haloperidol (Haldol) Oral Concentrate (2mg/mL)

Most Common Uses: Agitation, Hallucinations, Nausea, Restlessness Some Common Side Effects: Dizziness, Drowsiness, Dry Mouth See "The Basics of Haloperidol"

## 1.0 mL oral syinge



What has your provider ordered?
Give <b>mL</b>
Every hour(s)
Around the Clock/Scheduled
For
and/or
Give <b>mL</b>
Every hour(s)
As Needed
For

## What is the difference between milligrams (mg) and milliliters (mL)?

A medication is ordered in milligrams (mg) but as a liquid it is measured in milliliters (mL). For a solution with a concentration of 2mg/mL: 1mL= 2 mg, 0.75mL=1.5 mg, 0.5 mL= 1 mg, and 0.25 mL= 0.5 mg.

## How can I keep track of the medication given?

Use the next page "As Needed Medication Administration Record" to track what you give, how much your give and how it works.

Record	
Administration	
Needed Medication	
As	

Medication Name:

Date	Time	Amount	Symptom (Pain, Difficulty Breathing, Anxiety, Restlessness, etc.)	Effective? (Yes or No) If No, call Carroll Hospice

In order to make sure your loved one is comfortable, please keep track of any as needed medications you administer, this way hospice staff can review the record and see if any medication changes need to be made.

