

Lorazepam Oral Concentrate (2mg/mL)


Most Common Uses: Anxiety, Agitation, Nausea, Restlessness, Seizures

Some Common Side Effects: Dizziness, Drowsiness, Weakness

See "The Basics of Lorazepam"

1.0 mL oral syringe

Keep the Lorazepam Solution in the Refrigerator!



What has your provider ordered?

Give _____ mL

Every _____ hour(s)

Around the Clock/Scheduled

For _____

and/or

Give _____ mL

Every _____ hour(s)

As Needed/For Comfort

For _____

What is the difference between milligrams (mg) and milliliters (mL)?

A medication is ordered in milligrams (mg) by the doctors but as a liquid it is measured in milliliters (mL). For a solution with a concentration of 2mg/mL: 1mL= 2 mg, 0.75mL=1.5 mg, 0.5 mL= 1 mg, and 0.25 mL= 0.5 mg.

How can I keep track of the medication given?

Use the next page to track what you give, how much you give and how it works.

As Needed Medication Administration Record

Medication Name: _____

Date	Time	Amount	Symptom (Pain, Difficulty Breathing, Anxiety, Restlessness, etc.)	Effective? (Yes or No) If No, call Carroll Hospice

In order to make sure your loved one is comfortable, please keep track of any as needed medications you administer, this way hospice staff can review the record and see if any medication changes need to be made.